

# **Outdoor WPC Decking**



### Durability

Guofeng wood plastic composite is 20 years guaranteed against insects and rot

Easy cleaning and maintenance No need of a specific treatment, just using water to wash.

At the beginning of installation, when meeting raining, maybe there is some water spots, please do not worry, it will be finished after some days.

Safety

Free of any toxic products.



## ANHUI GUOFENG WOOD-PLASTIC COMPOSITE CO.,LTD.

# WOOD&PLASTIC Product Catalogue

### Hollow decking/flooring

	Hollow decking/flooring								
100	Item	Cross section	Picture	Item	Cross section	Picturé			
THE PERSON	K21-145A	145		K25-100	100				
	K21-145B	145		K25-140-1	140				
	K21-145C	145		K25-140-2	140				
	K21-145D	145		K26-146	146				
	K23-140	140		K30-140	140				
	K25-150-1	150		K35-150	150	All III			
	K25-150-2	150		K50-140	3000038	Aun			
			Solid decking/flooring						
	K25-150-3	150		Item	Cross section	Picture			
	K25-150-4	150		B20-100	100				
	K25-150-5	150		B20-140-2	140				

Wood-Plastic Composite (WPC) Decking Series

### **WPC Joist Profiles**

	WPC Joist Profiles					
Item	Cross section	Picture	Item	Cross section	Picture	
B20-140-4	140		Y25-40	97		
B22-140	140		K30-51	08 51		
B22-145	145		K30-50	08		
B25-150-1	150	1777	K30-60			
B25-150-2	150		B32-57	57 - 28		
B25-150-3	150	Edge Banding Profil	g Profiles			
			Picture	Item	Application	
B25-150-4	150			B12-71	Edge banding profile	
B25-140	140	Enny		Y40-48	L-Edge banding profile	
B30-140-2	140					
Y56-120-1	120				in	
Y56-120-2	120			For outdoor st	airs	

# New Technology, New Material, New Life

### **WPC** Accessories

Item	Application			
GFP-014	For all kinds of decking on the joist, GAP: 8mm			
GFP-051	For all kinds of decking on the joist, GAP: 6mm			
GFP-025	For thickness 25mm and 30mm			
GFP-041	For thickness 20mm and 22mm			
GFP-046	For thickness 22mm			
GFP-015	For thickness 25mm and 30mm, which backside is not sanded			
GFP-016	For thickness 25mm and 30mm.			
GFP-050	For thickness 20mm and 22 mm			
GFP-053	For thickness 25mm,30mm			
GFP-018	For thickness 20mm and 22 mm GAP: 3mm			
GFP-019	For thickness 20mm and 22 mm GAP: 4mm			
GFP-020	For thickness 20mm and 22 mm GAP: 5mm			
GFP-017	For all kinds of decking. GAP: 6mm			
GFP-045	For all kinds of decking, GAP:5mm			
GFP-047	For all kinds of decking, GAP: 6mm			
GFP-048	For all kinds of decking, GAP: 7mm			
GFP-049	For all kinds of decking, GAP: 7mm			
GFP-027	Plastic plug for hollow 25*150mm			
GFP-028	Plastic plug for hollow 26*146mm			
GFP-013	For fixing joist on the concrete ground			
SS Screw	For fixing clips and edge banding			
	GFP-025 GFP-041 GFP-046 GFP-015 GFP-016 GFP-016 GFP-053 GFP-018 GFP-019 GFP-017 GFP-045 GFP-045 GFP-047			

# Real projects







